



Ceramic Aromatherapy Humidifier

Specification




Thank you for choosing our product .for the most effective use of the product. please read the user manual carefully before using. This product is for home or office space use only.

Product Structure Drawing



- ① DC power hole position
- ② Air inlet
- ③ Ceramic cover
- ④ Inner cover
- ⑤ Air outlets
- ⑥ Water tank
- ⑦ Function button/status indicator



Functions Introduction

1.ultrasonic technology is used to atomize the plant essential oil solution dissolved in water into 3-5um ultrafine particles, and produce a large number of negative ions at the same time, which makes the plant essence easily absorbed by human body, giving full play to the efficacy of essential oils and aromatherapy, so as to achieve the effects of health, soothing, moisturizing and skin moisturizing. Fine particles. It is easier to kill harmful bacteria in the air.

2. Intelligent chip control, simple and clear operation logic, with multi-stage timing control and rotation mode.

3. The shape is simple and fashionable, and with the effect of colorful lights, exquisite craft ceramics and ceramics cover, the product is very artistic and ornamental!

Function of the Button

Light

1. Press the button for the first time : RGB light
2. Press the button for the second time:Fix current color
3. Press the button for three times :change to the next color
4. Press the button for the fourth time :change to the next color
5. Press the nth :cycle

Long press the button:Turn off the lights

Mist

1. Press the button for the first time : Continue to work until the amount of water atomizes
2. Press the button for the second time:15s intermittent spray
3. Press the button for three times :set the timer for 1 hour
4. Press the button for the fourth time :set the timer for 3 hour
5. Press the button for the fifth time :close


Long press the button: twice beep,Heavy fog

Long press the button: one beep,small fog




Application Method

1. Take out the trim cover and the inner cover in the direction of the arrow.
"When you take out the tank, there may be residual water from the last time you used it. Please keep the water tank body out of the horizontal state to prevent the residual water from entering the body and causing failure"



2. When filling the water tank with water level not exceeding the maximum scale line Drop 2-3 drops of essential oil.




Precautions for adding water:

Please add appropriate amount of water according to the water level line. If the water addition exceeds the maximum scale, there will be no fog or the fog will become smaller. Please choose pure water or clean tap water for the added water

Application Method

3. Install the decorative cover and inner cover in the direction of the arrow, and confirm that they are installed in place




4. Insert the output plug of the power adapter into the DC power hole and connect the power supply. Press the MIST key lightly to select the gear button required. The gear indicator light will light up and the product will enter the working state. Please make sure that the product is placed on a flat platform during use

Note: When the water temperature and water quality are affected by external factors, the amount of spray may be smaller at the beginning of operation. After a few minutes, the volume of spray can be restored to normal and stable.

Cleaning method

1. Remove the power adapter from the socket and the unit, then remove the outer ceramic lamp shade and inner tank cover.
2. Pour out the remaining water in the water tank. Be careful not to sprinkle the water into the air outlet at the bottom of the water tank
3. Moisten the cloth with a neutral detergent diluted with warm water and then wring it out. Thoroughly wipe the machine and water tank cover
4. When cleaning the bottom of the water tank, please use cotton swabs, etc Note: Do not touch or press the ultrasonic panel at the bottom of the tank



Precautions for use

- Clean the water tank regularly. The bottom of the water tank is dirty with the ultrasonic energy changer, which will cause faults. Clean it every 6 times (5-7 days).
- Do not move or tilt the machine when it is in operation, so as not to leak into the inside of the product.
- To add water, it is necessary to open the cover of the inner tank to add water. It is forbidden to add water through the fog hole and directly to the tank from the faucet.
- When the product is running, do not plug up the fog hole, the human body should not be placed above the fog hole for a long time, so as not to burn.
- Water droplets may be attached to the tank cover inside the body shell, outer ceramic decorative lampshade and other components. Please be careful of water droplets sputtering when opening.
- Be sure to unplug the power adaptor from the socket when the product is not in use.
- If not used for a long time, please keep the product properly after thoroughly drying.
- Please use essential oil with natural ingredients extracted from plants. Do not use perfume or synthetic perfume to avoid malfunction.
- When the maximum easy water is added to the water tank, combine with 2-3 drops of essential oil. If the amount of water is not enough, please add and subtract according to the actual amount of water
- Do not add essential oil under the condition of no water or very little water, so as to avoid failure.

Emergency treatment for accidental spilling of water

The water tank is in the state of holding water. If the product is placed or tilted by mistake, causing water overflow, please handle as soon as possible according to the following methods to avoid failure.

1. Immediately pull the power adapter from the socket and the machine.
2. Immediately remove ceramic decorative lampshade and inner water tank cover.
3. After pouring out the water in the tank, throw out the accumulated water inside the body.
4. Place the body after removing the ceramic decorative lampshade and the cover of the inner water tank in a ventilated and dry place for 48 hours before use.

Troubleshooting in use

Due to the use of the machine setting is not correct or improper maintenance caused by the fault, can refer to the following methods to solve.

Malfunction	Exclusion methods
No electricity The power status light is not on	Check if the power adapter is plugged into a power socket Whether the output plug is inserted into the machine
Can not start	Check if the tank is short of water or too small Check if the ultrasonic transducer is covered by scale, If the cover needs to be cleaned, use it
Fog is small	Check the tank for excess water Check whether the ultrasonic transducer is covered by scale, and use it after cleaning if it is covered Check the bottom fan inlet for clogging

Conventional technical parameters

Product Name : Ceramic Aromatherapy Humidifier

Product Size : 90*180mm

Water tank Capacity: 160ML

Nominal Voltage : DC24V

Product Weight: 790G

Rated Current: 500MAh